

Oracle9i Application Server

Bundled Patch Notes

Release 2 (9.0.2.2.0) for AIX-Based Systems, HP 9000 Series HP-UX, HP Tru64 UNIX, and Linux Intel

June 24, 2003

This document provides instructions for installing of the Oracle9i Application Server (Oracle9iAS) Bundled Patch, Release 2 (9.0.2.2.0).

The patch should be applied after successful installation of any Oracle9iAS 9.0.2.0.x install types except Oracle9iAS Developer Kits.

Note: Prior to installing the Oracle9iAS Bundled Patch you must install the 9.0.2.1, or later, Patchset for 9iAS Core. The Core Patchsets for Oracle9iAS are available at:

<http://metalink.oracle.com>

You must follow and complete all post-installation steps for the 9.0.2.1, or later, Patchset for 9iAS Core.

Note also that there are different Core Patchsets for AIX 4.3.3 and AIX 5L. You must apply the correct Core Patchset for your system. However, there is only one Oracle9iAS Bundled Patch for AIX 4.3.3 and AIX 5L, that is, you can apply this Bundled Patch to either system.

Note: Oracle Corporation recommends that you install the SQL*Plus patch for bug no. 2298683. The SQL*Plus patch is available at:

<http://metalink.oracle.com>

This patch for bug no. 2298683 is not required for AIX 5L based systems.

ORACLE[®]

Copyright © 2003 Oracle Corporation.
All Rights Reserved.

Oracle is a registered trademark and SQL*Plus is a trademark or registered trademark of Oracle Corporation. Other names may be trademarks of their respective owners.

1 Overview

This document includes the following sections:

- [Installing the Oracle9iAS Bundled Patch](#)
- [Silent and Non-Interactive Installation](#)
- [De-Installing the Bundled Patch](#)
- [Contents of the Oracle9iAS Bundled Patch CD](#)
- [Documentation Accessibility](#)

The following table summarizes the steps required for installation of the Oracle9iAS Bundled Patch:

For the J2EE and Web Cache install type with no Oracle9iAS Infrastructure	For all other Oracle9iAS installations (including J2EE and Web Cache with Oracle9iAS Infrastructure)
<ol style="list-style-type: none"> 1. Stop all processes associated with your J2EE and Web Cache installation. 2. Install Oracle Universal Installer 2.2.0.18.0. 3. Install the Oracle9iAS Bundled Patch into the J2EE and Web Cache Oracle home. 4. Review component release notes for additional steps to perform and issues. 5. Restart your J2EE and Web Cache processes. 	<ol style="list-style-type: none"> 1. Stop all processes associated with your Oracle9iAS Infrastructure installation. 2. Install Oracle Universal Installer 2.2.0.18.0. 3. Install the Oracle9iAS Bundled Patch into the Oracle9iAS Infrastructure Oracle home. 4. Review component release notes for additional steps to perform and issues. 5. Restart the Oracle9iAS Infrastructure processes. 6. Stop all processes associated with your Oracle9iAS middle-tier installation. 7. If your Oracle9iAS middle-tier installation is not on the same host as your Oracle9iAS Infrastructure, then you must also install Oracle Universal Installer 2.2.0.18.0 onto the middle-tier host. 8. Install the Oracle9iAS Bundled Patch into the middle-tier Oracle home. 9. Review component release notes for additional steps to perform and issues. 10. Restart your Oracle9iAS middle-tier processes

Note: If you are running Oracle9iAS version 9.0.2.0.0, then you must have installed the patches from the Interoperability Patch CD included with the original Oracle9iAS 9.0.2.0.0 release. If you have not installed the patches from the Interoperability Patch CD, then you must install them before proceeding with the Oracle9iAS Bundled Patch installation.

If you have more than one Oracle9iAS installation, then you must apply the patch to each Oracle home. Choose one of the following methods:

1. For application server clusters with Oracle9iAS Infrastructure on one host and Oracle9iAS instances on another host(s):
 - a. Stop the Oracle9iAS Infrastructure on the host.
 - b. Install the Oracle9iAS Bundled Patch on the Oracle9iAS Infrastructure.
 - c. Restart the Oracle9iAS Infrastructure.
 - d. Stop all of the Oracle9iAS instances on the separate host.
 - e. Install the Oracle9iAS Bundled Patch on each Oracle9iAS instance.
 - f. Restart the Oracle9iAS instances.
2. For Oracle9iAS Infrastructure and Oracle9iAS instances on the same host:
 - a. Stop the Oracle9iAS Infrastructure or Oracle9iAS instance on the host.
 - b. Apply the Oracle9iAS Bundled Patch.
 - c. Restart the Oracle9iAS Infrastructure or Oracle9iAS instance on the host that you just applied the bundle patch to.
 - d. Repeat the procedure.

2 Installing the Oracle9iAS Bundled Patch

After you successfully install Oracle9iAS 9.0.2.0.x, use the following instructions to install the Oracle9iAS Bundled Patch.

1. Stop all processes associated with your Oracle9iAS installation. Refer to the *Oracle9i Application Server Administrator's Guide* for stopping procedures.

Use the following command to stop OPMN and DCM processes:

```
ORACLE_HOME/dcm/bin/dcmctl shutdown -d -v
```

2. Insert the Oracle9iAS Bundled Patch CD-ROM into the CD-ROM drive.

3. Mount the patch CD-ROM.

For information about mounting the CD-ROM on your system, see the *Oracle9i Application Server Installation Guide*.

4. Run Oracle Universal Installer from the CD-ROM.

- a. Log in as the `oracle` user.
- b. Start the installer by entering:

```
> mount_point/volume name/runInstaller
```

This launches Oracle Universal Installer through which you can install the Oracle9iAS Bundled Patch.

5. Review the Oracle Universal Installer Welcome screen and click **Next**.

The Welcome screen provides information about Oracle Universal Installer.

The following buttons appear on the installation screens:

- **Deinstall Products:** Deinstall individual components or the entire product. This button appears only on the Welcome screen.
 - **About Oracle Universal Installer:** View the version number of the installer.
 - **Exit:** Quit the installation process and exit the installer.
 - **Help:** Access detailed information about the functionality of each screen.
 - **Installed Products:** View currently installed products or deinstall the entire product or components.
 - **Previous:** Return to the previous screen.
 - **Next:** Proceed to the next screen.
6. Confirm that you want to use the default source path, destination name, and destination path for your installation of the Oracle9iAS Bundled Patch on the File Locations screen and click **Next**. If you do not, then enter the values you want to use.

The File Locations screen allows you to enter the full path for the source and destination locations for your patch and installer installation.

- **Source:** This is the full path to the `products.jar` file from which the product will be installed. The installer detects and uses the default values of the `products.jar` file of the installation program. Do not change the path.

- **Name:** Enter the Oracle home name and path for your installation of the bundled patch.

Oracle homes are identified by name. The Oracle home name identifies the program group associated with a specific Oracle home and the installed Oracle services associated with the home.

- **Path:** This is the full path to the Oracle home where the bundled patch will be installed.
- **Browse:** Navigate through the file system to find source and destination locations.

7. Select Oracle Universal Installer 2.2.0.18.0 on the Available Products screen and click **Next**.

You must install Oracle Universal Installer 2.2.0.18.0 before installing the bundled patch. If you do not install Oracle Universal Installer 2.2.0.18.0, you may encounter difficulty with deinstallation of the product.

8. Confirm the destination path for Oracle Universal Installer 2.2.0.18.0 and click **Next**.

- **Change Location:** Change the location for installation of the Oracle Universal Installer 2.2.0.18.0 files.

When you click **Install**, the installation process begins.

9. Review the Summary screen and click **Install** to begin the installation of Oracle Universal Installer 2.2.0.18.0.

The Summary screen allows you to review all the settings before installation begins. These settings include source, destination, installation type, product language, install file sizes, and a list of components.

- To make changes to any of these settings, click **Previous** to return to the respective screens.

10. Monitor the installation process.

The Install screen appears while the product is installing. The Install screen shows installation operations, including executing actions such as file copy and linking, and executing decision points and calculations. It displays the full path of the installation log.

- **Cancel:** Discontinues the installation process.

11. Review the End of Installation screen. Click **Next Install** to install the Oracle9iAS Bundled Patch.

12. Confirm that you want to use the default source path, destination name, and destination path for your installation of the Oracle9iAS Bundled Patch on the File Locations screen and click **Next**. If you do not, then enter the values you want to use.

13. Select Oracle9i Application Server Patch v.9.0.2.2.0 on the Available Products screen and click **Next**.

14. If you are running Oracle9iAS version 9.0.2.0.0, then you will observe a Warning screen at this point of the Oracle9iAS Bundled Patch install. You must have installed the patches from the Interoperability Patch CD included with the original Oracle9iAS 9.0.2.0.0 release.

If you have not installed the patches from the Interoperability Patch CD, then you must install them before proceeding with the Oracle9iAS Bundled Patch installation. Exit the Oracle9iAS Bundled Patch installation, install the contents of the Interoperability Patch CD, then resume installation of the Oracle9iAS Bundled Patch.

Click **Next** to continue the Oracle9iAS Bundled Patch installation.

15. Review the Have you installed Oracle Universal Installer 2.2.0.18.0 screen and answer Yes. Click **Next**.
16. Review the Summary screen and click **Install** to begin the installation process.
17. Monitor the installation process. The Install screen appears while the product is installing.
18. Review the status of Oracle9iAS Bundled Patch configuration tools.

The Component Configuration screen appears and displays Oracle9iAS Bundled Patch configuration tools. The screen lists the configuration tools for specific Oracle9iAS components.

The installer performs the following functions in this screen:

- Executes a configuration tool for specific Oracle9iAS components.
 - Allows you to view data for failed executions in the display window. You can either fix the error and click **Retry** to execute the configuration tool again, or ignore the error and click **Next** to proceed to the next screen.
 - Creates log files to show the status of Oracle9iAS Configuration Tools. You can determine why a specific Oracle9iAS Configuration Tool failed by reviewing these files.
 - **Retry**: Re-executes the configuration script if the configuration of a component fails.
 - **Stop**: Quits the configuration of a selected component.
 - **Exit**: Quits the configuration tool and continue with the installation.
19. Review the End of Installation screen. Click **Exit** to quit the Oracle9iAS Bundled Patch installation.

- Restart all processes associated with your Oracle9iAS installation. Refer to the *Oracle9i Application Server Administrator's Guide* and the *Oracle9iAS Release Notes Addendum* for restart procedures.

Use the following command to restart OPMN and DCM processes:

```
ORACLE_HOME/dcm/bin/dcmctl start -d -v
```

Note: If you want to reinstall select components of the Oracle9iAS Bundled Patch, restart the installation and select the patch component you want to install. For example: `oracle portal patch 9.0.2.3.0A`.

3 Silent and Non-Interactive Installation

This section describes how to install the Oracle9iAS Bundled Patch either by silent or non-interactive methods.

Silent and non-interactive installation of the Oracle9iAS Bundled Patch is accomplished by supplying the Oracle Universal Installer with a response file. The response file is a text file. The installer uses the variables and parameter values contained in the response file to provide answers to some or all of the installer user prompts.

Silent installation is accomplished by including responses for all of the installer prompts in the response file and by using the `-silent` flag on the command line. Silent installation eliminates the need to monitor the Oracle9iAS Bundled Patch installation because there is no graphical output and no input by the user.

Non-interactive installation of Oracle9iAS Bundled Patch is also accomplished by supplying the Oracle Universal Installer with a response file but without specifying the `-silent` flag on the command line. There is graphical output and if you have not provided responses to all of the installer prompts, you may need to enter information during the installation. Use non-interactive installation of the Oracle9iAS Bundled Patch when there are specific screens you want to observe during installation.

Use silent or non-interactive installation of Oracle9iAS Bundled Patch when there are similar installations on more than one computer. Additionally, use the silent or non-interactive installation when performing the Oracle9iAS Bundled Patch installation from a remote location using the command line.

The `oraInst.loc` file specifies `inventory_loc` location for inventory files. If the `oraInst.loc` file is not located in your Oracle home, make sure the file has read and write permission for the oracle group.

If this is the first silent installation of Oracle9iAS Bundled Patch, then you must create two response files before starting. You can create a response file using any text editor or use the templates available in the `stage/Response` directory on your Oracle9iAS Bundled Patch product CD-ROM. You will need a response file for installation of Oracle Universal Installer 2.2.0.18.0 and a separate response file for installation of the Oracle9iAS Bundled Patch.

To perform a silent or non-interactive installation:

1. Copy the response file template provided in the Oracle9iAS Bundled Patch CD-ROM to your host.
2. Edit the values for all parameter fields labeled as "<Value Required>" according to the comments and examples in the template.
3. Edit the values for Boolean parameter fields according to the comments and examples in the template.

For example:

Oracle Universal Installer 2.2.0.18.0

```
[SESSION]
UNIX_GROUP_NAME="your_unix_group_name"
FROM_LOCATION="/mount_point/stage/products.jar"
FROM_LOCATION_CD_LABEL="Oracle9i Application Server PatchSet
9.0.2.2.0"
NEXT_SESSION_RESPONSE="patch_install_response_file"
ORACLE_HOME="ORACLE_HOME"
ORACLE_HOME_NAME="ORACLE_HOME_NAME"
TOP_LEVEL_COMPONENT=" oracle.swd.oui", "2.2.0.18.0"
DEINSTALL_LIST= " oracle.swd.oui", "2.2.0.18.0"
COMPONENT_LANGUAGES=en
PROD_HOME="your_oraInventory_location"
SHOW_SPLASH_SCREEN=true
SHOW_WELCOME_PAGE=false
SHOW_COMPONENT_LOCATIONS_PAGE=false
SHOW_CUSTOM_TREE_PAGE=false
SHOW_SUMMARY_PAGE=false
SHOW_INSTALL_PROGRESS_PAGE=true
SHOW_REQUIRED_CONFIG_TOOL_PAGE=false
SHOW_OPTIONAL_CONFIG_TOOL_PAGE=false
SHOW_RELEASE_NOTES=false
SHOW_ROOTSH_CONFIRMATION=false
SHOW_END_SESSION_PAGE=false
SHOW_EXIT_CONFIRMATION=false
NEXT_SESSION=true
NEXT_SESSION_ON_FAIL=true
SHOW_DEINSTALL_CONFIRMATION=false
SHOW_DEINSTALL_PROGRESS=true
```

Oracle9iAS Bundled Patch

```
[SESSION]
UNIX_GROUP_NAME="your_unix_group_name"
FROM_LOCATION="/mount_point/stage/products.jar"
FROM_LOCATION_CD_LABEL="Oracle9i Application Server PatchSet
9.0.2.2.0"
NEXT_SESSION_RESPONSE=<Value Unspecified>
ORACLE_HOME="ORACLE_HOME"
ORACLE_HOME_NAME="ORACLE_HOME_NAME"
TOP_LEVEL_COMPONENT="oracle.iappserver.patchset", "9.0.2.2.0"
DEINSTALL_LIST="oracle.iappserver.patchset", "9.0.2.2.0"
COMPONENT_LANGUAGES=en
PROD_HOME=ORACLE_HOME
SHOW_SPLASH_SCREEN=true
SHOW_WELCOME_PAGE=false
SHOW_COMPONENT_LOCATIONS_PAGE=false
SHOW_CUSTOM_TREE_PAGE=false
SHOW_SUMMARY_PAGE=false
SHOW_INSTALL_PROGRESS_PAGE=true
SHOW_REQUIRED_CONFIG_TOOL_PAGE=false
SHOW_OPTIONAL_CONFIG_TOOL_PAGE=false
SHOW_RELEASE_NOTES=false
SHOW_ROOTSH_CONFIRMATION=false
SHOW_END_SESSION_PAGE=false
SHOW_EXIT_CONFIRMATION=false
NEXT_SESSION=true
NEXT_SESSION_ON_FAIL=true
SHOW_DEINSTALL_CONFIRMATION=false
SHOW_DEINSTALL_PROGRESS=true
```

4. Start the installation.

To make the installer use the response file at install time, open a command prompt window and specify the location of the response file that you wish to use as a parameter when you start the installation.

Silent installation:

```
>./runInstaller -silent -responseFile path/responsefile
```

Non-interactive installation

```
>./runInstaller -responseFile path/responsefile
```

4 De-Installing the Bundled Patch

There is no mechanism provided for de-installing the bundled patch. If you are concerned about being able to de-install the bundled patch, Oracle

Corporation recommends that you back up your software installation, before applying the bundled patch.

If you must de-install a patch set, Oracle recommends one of the following procedures (in order of preference):

- restore your *ORACLE_HOME* from backup.
- re-install the baseline release and any patch sets previously applied, up to but not including this patch set.

Regardless of how you de-install the bundled patch, please contact Oracle Support to verify that the problem you are encountering is addressed in the next patch or release.

5 Contents of the Oracle9iAS Bundled Patch CD

The Oracle9iAS Bundled Patch contains fixes for the following Oracle9iAS bugs:

- [Oracle9iAS Reports Services](#)
- [Oracle9iAS Forms Services](#)
- [Oracle9iAS Wireless](#)
- [Development Environment](#)
- [Repository Object Storage GUI](#)
- [Oracle JInitiator](#)

Table 1 Oracle9iAS Reports Services

Bug Number	Description
2788959	RWCLIENT GIVES REP-0178 ERROR ON SOLARIS RWAQUA DAILY BUILD OF FEB 6, 2003
2788684	EM INTEGRATION DOESN'T WORK IF REPORTS SERVER IS NOT SECURE IN 9.0.2.1 PATCH
2786573	FEB04NBT:RWAQUA: ONLINE HELP SYSTEM FOR REPORTS BUILDER NOT AVAILABLE
2786560	FEB04NBT:RWAQUA: ERROR WHILE INSERTING GRAPH IN THE REPORT
2782743	PLEASE PROVIDE ONE-OFF FIX FOR BUG#2669555 ON LINUX REDHAT 9.0.2.1.1
2782424	IAS90210NCM2AWIN: REPORTS CONFIG ASSIST FAILED PATCHING ON IAS, IDS COEXISTENCE
2778166	ONE-OFF PATCH REQUEST FOR BUG2061347 TO REPORTS 9.0.2.1

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2778011	ONE-OFF REQUEST FOR BUG#2776028 ON WINNT/2000 R9I+PATCH1 9.0.2.1.1.
2776902	PLEASE MERGE FIX FOR BUG 2743425 TO PATCH 1 - REPORTS ENGINE CRASHES
2776028	PLEASE BACKPORT FIX FOR BUG#2724936 TO 9.0.2.1.1 ON WIN2000
2773801	INFINITE LOOP IN PDF OUTPUT WHEN CREATING A HYPERLINK TO POINT IN CURRENT DOC
2764344	NEW GRAPH FAILS TO PLOT THE DATA AFTER DELETION OF AN EXISTING GRAPH
2762690	JAN21NBT:INTERNAL ERROR WHILE INVOKING REPORTS BUILDER
2750057	PLEASE MERGE GENERIC FIX FOR BUG 2743425 - REPORTS ENGINE CRASHES
2749218	REPORTS BUILDER CRASHES WHEN INSERTING A GRAPH
2743425	REP-56048: ENGINE RWENG-0 CRASHED 25% RUNNING MULTIPLE REPORTS (IE.TEST.RDF)
2741825	CLK: ERROR PAGE CONTAINS USERNAME AND PASSWORD TO DATABASE FOR PARAMETER ERROR
2739078	REPORTS BUILDER CRASHES WHEN MODIFYING CONDITIONAL FORMATTING DETAILS IN PATCH 1
2736233	TASKBUG: 6I FIXES TO MERGE IN AQUA
2736005	ONE OFF PATCH FOR THE BUG 2731851
2735739	XMLSECURITY: UNABLE TO SET XML SECURITY FOR INPROCESS SERVER.
2734276	TASKBUG: 6I FIXES TO MERGE IN AQUA
2731851	AFTER PATCH 1, LANDSCAPE OUTPUT IS TRUNCATED BACK 5.5 INCHES FROM RIGHT MARGIN
2730666	ENGINE FAILS TO RUN ANY REPORT IN RWAQUA SOLARIS PRODUCT AREA
2730234	ONE-OFF REQUEST FOR BUG 2472932 TO REPORTS 9I PATCH#1
2728725	ONE-OFF REQUEST FOR BUG 2485340 TO REPORTS 9I PATCH#1
2727890	PLEASE BACKPORT FIX FOR BUG#2597409 TO 9.0.2.1 ON SOLARIS 2.8
2727686	RUNTIME PARAMETER FORM DOESN'T COME UP WHEN DESTYPE AS FILE/MAIL/PRINTER

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2721894	MERGE FIX FOR BUG 2181842 INTO RWAQUA
2719218	REPORTS ENGINES ARE NOT FULLY UTILIZED WHEN LOAD IS HEAVIER
2719157	FAILED TO CREATE REPORTS SECURITY PAGE IN PORTAL 9.0.2.6
2715793	PLEASE BACKPORT FIX FOR BUG#2698100 TO 9.0.2.1 ON SUN SOLARIS
2713775	ONE-OFF REQUEST FOR BUG#2694867 ON WINNT/2000 9.0.2.0.5
2702073	PDFFORMS: MOUSEUP EVENT DOES NOT FIRE IN TEXT FORMFIELD
2701634	FONTCHK90 PROGRAM NOT DELIVERED WITH 9IAS DISTRIBUTION
2687444	PDFFORMS: RUNTIME CRASHES IF RUN WITH MORE THAN 20 DUPLICATE FORM FIELDS
2691260	CHECK FIX FOR BUG 2214443 INTO RWAQUA
2694182	TRACK: UPGRADE TO PORTAL 9.0.2.5 FAILS BECAUSE OF SCHEMA CHANGE
2694558	REP-0619: YOU CANNOT RUN WITHOUT A LAYOUT WHEN USING CLOB COLUMNS
2694867	TRACKING: FORWARD BUG2656234 FIX TO RWAQUA
2695420	BACKPORT FIX FOR BUG 2691625 TO 9.0.2.1
2700393	PDFFORMS: PDFAPPEND UTILITY FAILS FOR PDF WITH FORM ELEMENTS
2686353	RW903:NOV26:UNABLE TO CREATE A JDBC THICK DRIVER REPORT
2658074	REP-50003: BAD COMMAND LINE ERROR WHEN \$ USED IN COMMAND LINE PARAMETERS
2658141	REP-0619 WHEN CLICKING ON BREAK AT NEXT PAGE BUTTON AFTER APPLYING PATCH 11
2658657	BC:SOLARIS:IDS90211:DISCOINTG:RUNTIME CRASHED WITH EXPORTED XML FILE WITH TRACE
2684375	OLAPPDS: UNABLE TO RUN A OLAP PDS REPORT THROUGH REPORTS SERVER USING RWCLIENT
2658839	REP-50157 WHEN PASSING DESNAME=<PRINTERNAME> ON THE COMMAND LINE

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2663716	9.0.2.1.0:REPORTS PATCHSET: PATCH.TXT NOT FOUND IN STAGE AREA
2680548	NULL POINTER EXCEPTION WHEN RUN AN ASYNC JOB
2675041	TRACK: PDFFORMS: TAB ORDER ATTRIBUTE OF FORM FIELD IS NOT IMPLEMENTED
2673721	PLEASE PROVIDE ONE-OFF FIX FOR BUG#2669555 ON HP-UX 11.0 9.0.2.0.1
2668618	JDBCPS: NEED TO HANDLE THE "INACTIVE" TIMEOUT OF CERTAIN DATABASES
2654268	APPS9:NLS:UTF8:PS:PLEASE FORWARD PORT BUG#2365639 FIX
2648955	NLS:NLS GRAPH JSP FAILS WITH ORG.OMG.CORBA.DATA_CONVERSION
2651391	REPORT BUILDER CRASHES WHEN UPLOADING THE SIMPLE TEST.JSP FILE
2651773	SOLARIS:INTG PATCHSET:IDS90211:UNABLE TO RUN SAVED JSP/XML REPORT FROM BUILDER
2652839	[NLS]FONT SIZE IN THE WEB LAYOUT EDITOR IS CHANGEABLE
2653672	REP-50151 CANNOT PRINT DIRECTLY TO PRINTER ON HP PLATFORM
2647758	REP-SCM: UNABLE TO CHECKIN LIBRARIES .PLL'S FROM REPORTS BUILDER.
2632235	TRAILING /LEADING BLANKS IN THE SOURCE FILE FOR A TEXT PDS CAUSE REP4102
2633162	J2EE-THIN: PFJ CHART IN JSP DOES NOT SHOW UP WHEN SSO IS SET TO YES IN RWSERVLET
2640046	FAX-DEST: GETTING ERROR WHILE SENDING REPORT OUTPUT TO FAX THROUGH REPORT SERVER
2640936	BC: DR. WATSON OCCURS AFTER CANCELLATION OF CREATING REPORT WITH REPORT WIZARD
2629605	BC: XML SAVE/LOAD SHOULD NOT LOOK FOR NAMES OF ANCHOR/ANY OBJECTS WITH NO NAM
2643395	PAGESTREAM CAUSES RWRUN60 ERROR WITH LONG DESNAME PARAMETER
2620992	OCT10:RWAQUA:SOLARIS:REPORTS BUILDER:CORE DUMP INVOKING BUILDER
2617266	USER ABLE TO RERUN THE JOB FROM EM THROUGH SEC.SERVER REGISTERED IN PORTAL.

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2618052	BC: INCORRECT SOURCE/GPF WHEN INSERTING WEB REPORT BLOCK IF GREAT NUMBER OF COLS
2618837	UNABLE TO CREATE CHARTS WIDER THAN 8.5 INCHES IN LANDSCAPE MODE
2620310	BC: GPF RUNNING REPORTS IN SPANISH LANGUAGE TO PAPER LAYOUT
2613624	REP-0606: UNABLE TO READ LINK FILE IF THE GRAPH WIDTH IS A MULTIPLE OF 8 INCHES
2602822	PATCH1:SOLARIS: REPORTS DOES NOT COME UP
2603511	WEB SERVICE: WEB SERVICE DATA SOURCE WINDOW TAKES A LONG TIME TO GET DISPOSED
2605060	9.0.2.1-PATCH: UNABLE TO MAIL/PRINT REPORT OUTPUT THROUGH INPROCESS SERVER
2608084	WEB SERVICE: GUI ISSUE WITH WEB SERVICE MESSAGE WINDOWS
2612730	OW:BC: - REPORTS BUILDER CRASHES WHEN OPENING DISCOVERER EXPORTED XML REPORT
2601371	PLEASE BACKPORT FIX FOR BUG# 2547952 TO 9.0.2.0.5 ON SOLARIS 2.8
2593837	WEBDAV: THE DESTINATION KEEP THE CONNECTION INFO DURING 2 CALLS
2594178	NULL POINTER EXCEPTION
2596071	WEB SERVICE PDS: SPELLING MISTAKE IN ERROR MESSAGE: INVALID URL FOR WSDL
2597409	"IOEXCEPTION: TOO MANY OPEN FILES" WHEN REPORTS SERVER IS IDLE FOR SEVERAL DAYS
2601050	WEB SERVICE PDS: NOT USING THE METHOD SELECTED BY USER
2601169	WEB SERVICE PDS:REPORT DISPLAYS NULL WHILE THE VALUE CAN BE SEEN IN THE RESPONSE
2601432	BC: TRYING TO CREATE REPORT USING MULTIPLE QUERIES WITH SUMMARY IN WEB LAYOUT
2593820	RETURN A USER EXCEPTION WHEN THE AUTHENTICATION IS WRONG
2588731	WEB SERVICE PDS: NOT ABLE TO INVOKE WEB SERVICE DATA SOURCE IN REENTRANT MODE
2588795	WEB SERVICE PDS: CANCEL NOT CANCELLING CURRENT UPDATE CAUSES INCONSISTENCY

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2588848	WEB SERVICE PDS: NOT ALLOWING TO UPDATE THE QUERY DEFINITION
2588875	WEB SERVICE PDS: JAVA.LANG.NULLPOINTER EXCEPTION
2592244	REPORTS PATCHSET#1: RWBUILDER NEEDS MSVCRTD.DLL
2590672	WEB SERVICE PDS: MULTIPLE INSTANCES OF WEB SERVICES PREVIEW WINDOW CAN BE OPENED
2589287	XML OUTPUT: TAGS NOT GENERATED FOR EXTRA GROUPS
2588536	WEB SERVICE PDS: WINDOW GUI ISSUES WITH WEB SERVICE DATA SOURCE WINDOW
2588314	WEB SERVICE PDS: BUILDER HANGS WHEN WEB SERVICE DATA SOURCE WINDOW IS CLOSED
2588368	WEB SERVICE PDS: BROWSE BUTTONS SHOULD POINT TO PREVIOUSLY ACCESSED DIRECTORY
2588392	WEB SERVICE PDS: BUTTON UI ISSUES WITH WEB SERVICE DATA SOURCE WINDOW
2588463	WEB SERVICE PDS: TABBED PANEL NAVIGATION TO BE SYNCHRONIZED WITH NEXT BUTTON
2587939	BC: PREVIEWING 6I GRAPHICS WITH RWBUILDER GETS CORE DUMP
2586694	FLUCTUATIONS IN RESPOSE ON SCALABILITY TESTING
2581199	OLAPPDS:UNABLE TO SELECT SLICES IN GRAPH WIZARD AFTER CONFIGURING OLAPPDS
2583586	PLEASE BACKPORT FIX FOR BUG#2511261 TO 9.0.2.0.5 ON WIN2000
2583937	OLAPPDS: UNABLE TO BRING UP STAND ALONE SECURED SERVER, JAVA ERROR.
2584323	OLAPPDS: ENABLING 'JOBSTATUSREPOSITORY' FOR UNSECURED SERVER, JAVA ERROR COMES
2586459	SUBMITTING THE PARAMETER FORM IN REPORT GIVES REP-52007
2581022	IMAGES ARE BROKEN WHEN AUTHID IS SPECIFIED IN URL, RUNNING REPORT THROUGH SERVLET
2569844	ERROR MESSAGE IS SHOWN IN BROWSER, RUNNING A 1000 PAGE REPORT THROUGH RWSERVLET
2573460	REP-56048: ENGINE RWENG-0 CRASHED -WHEN RUNNING A WEB REPORT WITH EMBEDDED CHART

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2573911	ONEOFF-9.0.2.0.5 INSTALL FAILS WITH ZRHCURSOR.O DOES NOT EXIST
2577519	OLAPPDS:UNABLE TO CREATE A JDBC THICK DRIVER REPORT AFTER CONFIGURING OLAP PDS
2577535	OLAPPDS:UNABLE TO RUN JDBC THICK DRIVER REPORT AFTER CONFIGURING OLAP
2580545	RDF ACCESS PORTAL3.0.9 WITH VERSION STATUS1&2 IS NOT MIGRATED TO 9.0.2.0.5
2569448	STANDALONE OR IN-PROCESS REPORTS SERVER HANGS WHEN START UP
2547952	SCHEDULE PARAMETER DOES NOT RUN THE REPORTS AS PER THE SCHEDULE ON 9I
2548914	REP-50125: CAUGHT EXCEPTION: JAVA.LANG.NULLPOINTEREXCEPTION RUNNING ANY REPORT
2550751	USING <COMPATIBLE VERSION="6I"/> DOES NOT APPEAR TO WORK
2552262	PORTAL INTEGRATION: SECUIRTY CHECK SHOULD BE DONE AGAINST SSO USER
2552683	BACKPORT: SECURITY CHECK SHOULD BE DONE AGAINST SSO USER
2554662	BACKPORT THE FIX FOR BUG 2436442 TO PORTAL 9.0.2
2554742	REPORTS/PORTAL INTEGRATION 9.0.2 ONE-OFF PATCH
2560393	ERROR WHEN CREATING REPORTS CALENDAR OBJECTS AFTER 309 -> 903 UPGRADE
2565462	QUERY BUILDER:CLICK ON 'AND' ERROR MESSAGE IS SHOWN.'OR' BUTTON SHOWS LAYOUT
2565758	GETTING ERROR MESSAGE WHILE RUNNING REPORT THROUGH SERVLET THROUGH INPROCES SERV
2546295	OPEN A XML FILE WITH IMAGE IN THE REPEATING FRAME: REP-6106
2531504	BC: BUILDER CRASHES: INSERTING REPORT BLOCK BY REPORT BLOCK WIZARD
2534344	APAC NLS: PDF SUBSETTING FAILS ON AIX / HP UX
2534369	JSP CALCULATION ITEMS DISPLAYED WRONG (NULL VALUES ARE TAKEN FROM PREVIOIS FIELD)
2537646	BC: BUILDER CRASHES WHEN REPORT WITH IMAGES SAVED AS JSP FILE

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2538644	REP-50003 WHEN PASSING PARAMETERS WITH SPACES (NO QUOTES) AND USING KEYMAPPING
2540090	WEBDAV DESTINATION:ERROR MESSAGE IS SHOWN SENDING REPORT OUTPUT TO PORTAL
2544079	TRACKING: CHART1.RDF NOT WORKING
2530463	ONE-OFF-PATCH:BUILDER IS CRASHED
2523280	USERID INCLUDING PASSWORD SHOWN IN RWSERVLET.TRC USING TRACEOPTS=TRACE_ALL
2523594	CORRECT SCHEDULE PARAMETER VALUE GIVES REP-50006
2524046	BC:9IDS REPORT BUILDER GPF WHEN SAVING.RDF AS .JSP
2525552	BH0802: PURIFY ERROR IN SUITBFF_FONTFACES() DURING RWBTBCREATE().
2526082	GRAPH BEAN FAILS WITH REP-59042 WHEN RUNNING IN GERMAN ENVIRONMENT
2527100	REP-1368 OCCURS WHEN TRYING TO BUILD CHART WITH FIELD FROM THIRD QUERY
2529147	AUG-23-RWAQUA BUILD:SOLARIS:BUILD FAILURE
2529738	BC:BUILDER CRASH:MODIFY TEMPLATE USED BY REPORT:RUNNING REPORT:CLICK DATA MODEL
2519301	BH0802:BUILDER CRASH,RUN TO PREVIEWER,DESTYPE = CACHE AND BACKGROUD=YES
2514220	BH0802: REP WIZARD GENERATES INVALID WEB SOURCE FOR NESTED MATRIX
2514391	BH0802:BUILDER CRASH WHEN OPENING DISCOVERER XML FILE.
2515418	BH0802: ASSERTION ERRORS WHEN CLOING REPORTS AFTER RUNNING TO WEB LAYOUT FAILED
2517466	BH0802: CLICKING ON MENU WHEN BUILDER IS IN AN "INVALID" STATE CAUSES GPF.
2517919	BH0802: BUILDER GPF IN DEFAULTING WHEN CHANGING FROM 1 GRP MTX TO 2 GRP MTX
2519181	BH0802:MAIN SECTION IS SELECTED IN PREVIEWER,EVEN WHEN SHOWING HEADER OR TRAILER
2514050	BH0802: REPORTS BUILDER CRASHED WHEN OPENING BEFORE REPORTS TRIGGER
2506144	BC: BUILDER CRASHES:REENTRANT GRAPH WIZARD FOR GRAPH HAVING EMPTY GRAPH SETTING

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2506940	GETTING ERROR WHEN STARTING REPORTS BUILDER.
2507343	SUPPORT %PT AND %PC
2508361	INTERNAL ERROR: WHILE INVOKING GRAPH WIZARD IN REENTRANT MODE
2508413	GRAPH WIZARD: CLICKING OK BUTTON IN DUAL Y FORMAT TAB DISPLAYING SOME OTHER TAB
2511261	CLOB DATA DOES NOT DISPLAY ON A WEB DEPLOYED REPORT
2513071	BH0802: PARAMFORM IS SUPPRESSED AFTER INVOKING THE MAIL DIALOG
2513493	BH0802: CRASH IN PAPER DESIGN WHEN SELECTION AN OBJECT
2513597	PARSING REPORT VERSION 10.7 REPORT FILES CDR-6085
2514017	BH0802: MATRIX WITH GROUP CAUSES BUILDER TO CRASH
2506019	BC: BUILDER CRASHES: RUNNING REPORT HAVING GRAPH WITH EMPTY GRAPH SETTING (XML)
2501516	GRAPH WIZARD REENTRANT:ESCAPE CHAR IN TITLE CHANGED INTO NORMAL:GIVING EXCEPTION
2496338	BC: NULL POINTER REFERENCE IN RWBVEDITOR_EV()
2499775	BUILDER CRASH WHEN RUNNING TO WEBLAYOUT
2500259	NONE OF THE REPORTS EXECUTABLES ARE WORKING IN PRODUCT AREA.
2500277	NIGHTLY BUILD:NT:AUG06:BUILDER CRASH GENERATING REPORT TO XML FORMAT
2501696	GRAPH WIZARD: CONTENT OF X-FORMAT TAB IS BLANK WHEN APPLY BUTTON IS CLICKED
2501897	MODIFY MAP FILES FOR RWU90.DLL AND LIBRWU90.SO
2503003	FTP-DESTINATION:FTP THROUGH XML DISTRIBUTION SHOWS ERROR MESSAGE.
2503230	PORTAL PUSH: JOB FAILED TO MOVE TO PAST JOB QUEUE WHEN GIVEN A WRONG PAGE GROUP
2496311	BC: NULL POINTER DE-REFERENCE IN RWBLUDL()
2495723	BC: UNITIALISED MEMORY READ/ARRAY INDEX OUT OF RANGE IN RWBOLDT()
2495736	BC: UNITIALISED MEMORY READ IN ZRDDSGE0_GET()

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2495767	BC: UNITIALISED MEMORY READ IN RRDTGT4OR()
2496307	BC: ARRAY BOUNDS READ IN RWBOLTB()
2496300	RWCLIENT PUSH TO PORTAL FAILS
2496297	BC: UNITIALISED MEMORY READ IN ROPINT()
2496012	NIGHTLY BUILD-WINDOWS-AUG01:UNABLE TO DEPLOY JSP REPORT USING OC4J
2495890	BC: UNITIALISED MEMORY READ IN ZRWUWGP_GETPRELABEL()
2495719	BC: UNITIALISED MEMORY READ IN RWLPIEN_EDITENABLE()
2495556	BC: ARRAY BOUNDS READ IN RWBLN2_PAREA()
2495565	BC: ARRAY BOUNDS READ IN: RWBLSL()
2495570	BC: UNITIALISED MEMORY READ IN ZRWULUT_UPDTAGHNDS()
2495574	BC: UNITIALISED MEMORY READ IN RWBHS_PROCESSTEMPLATE()
2495661	BC: FREE'D MEMORY READ IN ZRMGE_READATTR()
2495643	BC: POINTER OUT OF RANGE ERROR IN: ZRMGE_READATTR()
2495629	BC: POINTER ACCESS OUT OF RANGE IN ZRMGE_READELEMENT()
2495590	BC: UNITIALISED MEMORY READ IN: ZRWULLL_UPDLAYLISTS()
2495545	BC: UNITIALISED MEMORY READ IN RWWTR_THUMBNAILCREATE()
2486404	SORACLE_HOME/REPORTS/JLIB/CLASSES IS NOT USED IN RWRUN.JAR
2487423	SERVER STARTS AN ADDITONAL ENGINE FOR EVERY RUN OF A JOB
2490461	FTP-DESTINATION:REPORT IN-PROCESS SERVER:UNABLE TO RUN A REPORT WITH DESTYPE=FTP
2490826	REP-50004 WHEN RUN A REPORTS WITH PARAMETER FORM AND SET FORM METHOD=GET
2494020	WIN32: REBASE REPORTS DLLS USING THE STAGED COFFBASE.TXT
2495531	BC: UNITIALISED MEMORY READ IN RWBMIN()

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2495542	BC: UNINITIALISED MEMORY READ IN RWBOLSCEH()
2485709	BUILDER CRASHES: REPORT WIZARD: MATRIX REPORT: JDBC QUERY WITH QUERY DEFINITION
2476614	REP-3379 WHEN OPENING AN EXISTING REPORT IN RWBUILDER AND CLICK ON PAPER LAYOUT
2476897	BACK PORT REQUIRED: CONVERTING RDF TO XML ON UNIX
2477013	EXCEPTION IS RAISED IF USER DOESN'T SPECIFY "GROUPS" OR "SERIES" IN LAYOUT PANEL
2478553	REPORTS9I PARAMETER FORM DOESN'T WORK WITH SSOCONN
2482023	PROBLEMS WITH MATRIX WEB LAYOUT CREATED BY REPORTS WIZARD
2483684	DIFFERENCE IN CLASSPATH FOR IN PROCESS AND STAND ALONE SERVER
2484257	DIAGNOSTIC IN RWSERVLET.PROPERITES IS NOT USED FOR NON-SECURE SERVER
2485340	DESTYPE=LOCALFILE THROWS JAVA EXCEPTIONS WHILE RUNNING REPORTS SERVLET
2485419	JUL28NBT: INTERNAL ERROR WHEN WEB SOURCE OF A REPORT IS VIEWED
2472932	APAC NLS:RWSERVLET SETS INVALID CHARSET AT THE HTTP HEADER
2461373	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/RW/ADMIN/SCRIPTS/REPORTS.SH
2460049	REPORTS-DTD: IMAGE MISSING FROM FRAME AND REPEATINGFRAME ELEMENT
2458906	TRACKING BUG FOR 9.0.2.0.4 ONE-OFF RELEASE
2453943	ONE-OFF-PATCH:BUILDER IS CRASHED INSERTING GRAPH IN LIVE PREVIEWER
2461930	RWSERVLET FAILS IF URL CONTAINS SPECIAL CHARACTER LIKE SPACES USING CGICMD.DAT
2472078	IDS_PROD: CLICK ON APPLY BUTTON IN REENTRANT MODE OF GRAPH WIZARD, IT LOOSES X-F
2471702	IDS_PROD: WITH DUAL Y - AXIS ON GRAPH TWO DIFFERENT SCALES SHOW UP ON EACH AXIS.
2470098	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/RW_SRC_1/SRC/ZRM/ZRMOA.C

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2470078	HANDLE BACKWARD COMPATIBILITY FOR THE JASMINE IDL CHANGE
2468978	PERF: CACHED REPORTS ARE NOT PROPERLY SERVED.
2467088	JDBC PDS CONFIG FILE SHOWS MERANT DRIVERS WHICH DON'T EXIST
2465859	CLASSPATH IS NOT PICKED UP BY SERVER ENGINE
2465215	MOVE VBJORB.JAR IN FRONT OF OC4J.JAR TO AVOID CONFLICT ORB PROBLEM
2452936	IAS902M16AWIN:JVM.DLL ERROR WHEN REPORTS SERVER IS STARTED
2451154	GRAPH HYPERLINK NOT WORKING IN PDF OUTPUT
2440614	JAZN RETURNS REALM IN ADDITION TO USERNAME IN GETREMOTEUSER() CALL
2441608	DATA PASSING BROKEN FOR BUBBLE AND SCATTER GRAPHS
2441615	EXTRA SPACE IN NUMBER FORMAT CAUSES MISALIGNMENT IN HTMLCSS FORMAT
2448419	9I REPORTS BUILDER CRASHES WHEN MODIFYING AN 6I RDF FILE WITH CHARTS
2447227	BAD JAVA CLASSPATH SHOWS WITH "/RWSERVLET/SHOWENV COMMAND"
2448551	BUSY CURSOR REMAINS WHILE INSERTING GRAPH IN WEB SOURCE WITH EMPTY DATA MODEL
2439787	SOME OF TRASLATION STRING IN NETHERLANDS LANGUAGE MISSED PARAMETER
2418766	NEED REPORTS THIN CLIENT
2415162	NLS:ZHT:IASM12:COULD NOT DISPLAY ZHT SPECIFIC SENSITIVE CHARS(0XF9D6~DC, UDC)
2414238	CLK: PROBLEM WHEN RUNNING JSP WITH RW:GRAPH WITH UIX INTEGRATION
2419908	BC: REPORT-BLOCK-WIZARD CRASHES WHEN THERE IS NO QUERY IN DATAMODEL
2438538	ALLOW ALL USERS TO CALL GETJOBID AND SHOWJOBID
2436442	IAS R2 NLS: REPORTS SECURITY AVAILABILITY CALENDAR DOES NOT WORK CORRECTLY
2413385	COLUMN ALIGNMENT DOES NOT WORK PROPERLY WHEN KOREAN FONT IS USED IN 9I REPORTS

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2435458	CLK: CRASH TRYING TO SAVE TO .XML A REPORT WITH A "UNION" QUERY
2434985	CLK: NEED TO BE ABLE TO PASS A URL TO THE IN-PROCESS LISTENER FROM BUILDER
2430853	CLK: NEED AN OPTIONAL ATTRIBUTE FOR THE GRAPH LABELS AS DESIRED
2422759	SCAB:RWSERVLET GET ERROR "NO OUTPUT FOR JOB XXX" WHEN SERVER IS UNDER HEAVY LOAD
2413273	IDSR2:ONCE OPEN WEB SOURCE, FIND/REPLACE FOR PL/SQL EDITOR DOES NOT WORK
2410175	NEED TO CHECK ID NOT NULL WHEN GENERATING UNIQUE GRAPH ID.
2411028	WHILE RUNNING 520 USERS SCALABILITY TEST, 460 USERS FAIL WITH HTTP STATUS 503
2411171	REPORTS SERVLET GIVES CLASS ORACLE/SECURITY/MISC/CHECKSUM NOT FOUND ERROR
2413057	REPORTS SERVER DOES NOT COME UP WITH SECURED ENABLED
2409309	RWPROXY GIVES RUNTIME DEFINITION ERRORS
2405408	SCAB: PASSING JVM PARAMETERS TO REPORTS SERVER AND ENGINE
2406232	RWCLIENT DOES NOT CONNECT TO REPORTS SERVER
2406236	REPORT SERVER DIALOG BOX DOES NOT SHOW TEXT
2406689	NIGHTLY BUILD JUN06:ERROR MESSAGE IS SHOWN RUNNING A REPORT THROUGH RWCLIENT
2406702	NIGHTLY BUILD JUN06:UNABLE TO RUN A REPORT USING REPORTS RUNTIME ENGINE
2407424	PDF FILES GENERATED BY REPORTS ON WINDOWS-NT/2000 IS NOT EDITABLE IN AROBAT
2405332	REPORTS SERVER WILL NOT START UP
2395635	CHECKIN: PERF: JSP DOESN'T TERMINATE THE JOB IF THE DATABASE CONNECTION FAILED
2397685	SUPPORT TIMEOUT PARAMETER TO REPORTS ENGINE AND REPORTS JOB COMMAND LINE
2403982	PUSH FORWARD FIX FOR BUG 1264078 AND 1336378 TO 9I
2401528	JSP PARSER RETURNS GENERIC ERROR MESSAGE WHEN THERE IS PROBLEM WHEN PASSING JSP

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2399652	REPORTS SERVER HANGS ON TRU64 WHEN YOU RUN A REPORT THROUGH RWCLIENT
2398779	AFTER PARAMETER FORM TRIGGER DOESN'T GET FIRED WHEN RUNNING JSP
2397845	OC4J AND RWSERVER CRASHES FOR A 1000PG REPORT AT 4TH ITERATION
2394511	PERF: REPORTS SERVER NO LONGER WORK AFTER EXECUTING REPORT AGAINST A SHUTDOWN DB
2391791	CLK: REPORTS BUILDER CRASHES WHEN SAVING REPORT WITH QUERY CONTAINING UNION ALL
2378663	CLK: EVALUATE GRAPH COL SELECTION AT RUNTIME IN PAPER LAYOUT
2391397	JDBCPDS:CANNOT INVOKE QUERY DIALOG AFTER USER PARAMETER IS DELETED
2384796	DISCOVERER XML CAUSES BUILDER TO CRASH
2384192	TERMINATED WITH ERROR MESSAGE HAS VISIBLE BREAK () IN STRING
2382163	RWSERVLET: SESSON CLEANUP CODE NEED TO BE SYNCHRONIZED
2378397	GET ERROR WHILE SAVING.JSP OR .XML REPORT INTO .RDF FILE
2378211	PM:PAPER REPORT WITH BARCODE BLOCKS SERVER ENGINE, NO OUTPUT GENERATED
2376500	OW: GRAPH NOT DISPLAYED FROM JSP WHEN SERVER IS RUNNING SECURE
2370130	IAS200M7.0509 WIN:ORACLE9I REPORTS PAPER REPORT TESTER GIVING ERROR
2370751	TEST:IASM7: RUNNING TO SECURED SERVER IN PDF FORMAT FAILS
2373830	REPORTS 90203B STAGE DOES NOT CONTAIN REPORTS_EMD.JAR
2372874	IASV2M7: UNABLE TO DISPLAY PFJ CHART OF JSP REPORT THROUGH SECURED SERVER
2370766	IASM7:PORTAL INTG: FAILS TO REDIRECT TO OID FROM PORTAL.
2369263	IASV2M5: DROPDOWN LIST WHICH SHOWS COMPLETED JOBS IN SERVER QUEUE IS MESSED UP

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2368454	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/RW/INC/ZRDPL.H
2368406	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/RW/INC/RXJNL.H
2365206	IASV2M5: UNABLE TO START REPORTS SERVER IN SECURED MODE.
2366048	IASV2M5: UPTIME,CPUUSAGE,MEMORYUSAGE ARE BLANK FOR THE STANDALONE REPORTS SERVER
2368168	IASV2M6: UNABLE TO RERUN THE REPORT THROUGH SECURED SERVER FROM OEM.
2366078	IASV2M5: STOP AND RESTART BUTTONS ARE NOT FUNCTIONING PROPERLY IN OEM SERVICES.
2362480	NEW 90203 REPORTS STAGE DOES NOT CONTAIN REQUIRED FILES
2358146	WIN_NBT: UNABLE TO START OC4J.
2354604	INHANCE TRACE IN RWSECURITY.AUTHENTICATEBYOID()
2355721	IASV2: HELP TOPIC DOES NOT COME UP FOR RWCONVERTER DIALOG BOX.
2357912	WIN_NBT: QUERY BUILDER IS NOT COMING UP.
2357951	IASMWINDOWS: REPORTS DEPLOYMENT FAILED.
2357930	WIN_NBT: UNABLE TO SEND MAIL FROM BUILDER, <PLUGINPARAM> IS NOT SET PROPERLY
2354501	IASMNT: AUTHENTICATION FAILED WHILE RUNNING JOB TO SECURED SERVER.
2341022	PM: MULTIBYTE EMBEDDED FONT REPORT BLOCKS SERVER ENGINE, NO OUTPUT GENERATED
2353692	TEST:IASV2: UNABLE TO RUN REPORT WITH PFJ CHART THROUGH RUNTIME
2353624	IASV2: UNABLE TO START REPORTS SERVER, JAVA EXCEPTION OCCURS.
2351305	PORTAL INTEGRATION: UNABLE TO INTEGRATE PAPER REPORTS WITH NON HTML FORMATS
2339034	IDS V2 M12D: RESIZING THE GRAPH TO MAXIMUM SIZE, REDUCES GRAPH SIZE.
2337921	REPORTS METRICS NOT DISPLAYED IN EMD
2334879	PDF: PLEASE SUPPORT HKSCS ENCODING IN ALIASING PDF

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2334857	SYNTAX ERROR IN ADDNEWSERVERTARGET.SH
2332183	REPORTS SERVER HANGS OCCASIONALLY
2326861	PLEASE MERGE GENERIC FIX FOR BUG
2282009	SETTING FONT CAUSES CRASH, HANG
2331705	BC: DISCOVERER INTEGRATION: BUILDER IS CRASHED OPENING EXPORTED XML FILE
2330031	IDS 2.0: M12A: REPORTS QUEUE MANAGER HELP DOESN'T LAUNCH
2327668	903 MUST: PDF DRIVER VERSION STRING TO BE CHANGED TO 1.4
2329938	IDS 2.0: M12A: T9N: LACK OF ICONS ON MENU OF PROPERTY INSPECTOR
2323331	IAS 902 M17D SUN: REPORTS UNDER EM DISPLAYS SCREEN ON INSTALL M/C INSTEAD OF EM
2318785	PERF: REP-50140: INTERNAL ERROR {0}. REPORTS SERVER SHUTTING DOWN
2317558	IASM17D: ERROR MESSAGE WHILE ACCESSING SECURED SERVER THRU QUEUE VIEWER.
2316881	UNABLE TO CHANGE THE UNIT OF MEASUREMENT
2313960	PLEASE SUPPORT RTF IN AL32UTF8, KO16MSWIN949, ZHT16MSWIN950,ZHT16HKSCS
2313677	GOT RESPONSE HAS ALREADY BEEN COMMITTED EXCEPTION WHEN START/STOP REPORTS
2313611	IAS 902 M17C SUN: JSP WEB REPORT, PAPER REPORT DO NOT WORK
2310508	RN:IDSV2M11D: UNABLE TO IMPORT PORTAL COMPONENT, IMPORTS BLANK REPORT
2307617	RN: CAN'T SHUTDOWN SERVER FROM OEM
2306619	IDS2.0 M11D: CORE DUMP WITH TOOLS-OPTIONS-PAPER LAYOUT
2298548	SUPPORTABILITY TASK: CREATE DOCUMENT ON FONT USAGE
2299460	BC: CRASH WHEN GENERATE TO FILE AFTER RUNNING TO LIVE PREVIEWER FOR 6I GRAPH REP
2303154	IDS2.0 M11D:NLS:BUILDER CRASHES WHEN FIND/REPLACE IN WEB SOURCE UNDER JA16SJIS

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2302728	90205- RN:REPORTS SERVER UNABLE TO EXECUTE G90RUNM
2284142	CRASH ATTEMPTING TO CONVERT A REPORT FROM .RDF TO .XML THRU THE BUILDER
2222191	RN: VERIFY THAT 6I EXCUTABLES CAN WORK WITH 9I SERVER IN SECURE USING RWPROXY.
2231846	CHECKIN: RN:INCONSISTENT DATA RETRIEVED FOR SUMMARY/NON-SUMMARY CELLS
2256498	BUILDER HANGS WHEN REPORT SAVED AS JSP/XML IS RUN TO PAPER.
2280548	SCAB:REPORTS SERVER HANG UNDER HEAVY LOAD
2261709	PLAINTEXT CONNECTION INFORMATION IN RWCGI KEY MAP CONFIGURATION FILE CGICMD.DAT
2217174	EXPRESS PDS BEHAVIOUR DIFFER FOR 6I AND 9I REPORT EXPRESS PDS REPORT.
2211041	BC: BUILDER CRASHES WHEN CUT AND PASTE TEXT IN TEMPLATE
2183349	UIDELTA:IDS2.0: M10: T9N: DEFINE TEXT QUERY DIALOG IS NOT TRANSLATED
2187282	XMLDIST: PCDATA CONTENTS ALONG WITH SAMPLE FAX TRANSFORMATION BREAKS XMLDIST
2210313	MISSING FILES IN THE LATEST STAGE OF OB
2190818	RN: NT-REGRESS: UNABLE TO DISPLAY PFJ CHART THROUGH JDEV-REPORTS
2189827	BH0102: BREAK MATRIX GENERATION BROKEN IN WEB SOURCE
2168130	OPTIMIZATION: TAKES TOO LONG TO BRING UP ANY OF THE PAINTER THE FIRST TIME
2167667	BC:BUILDER CRASHES WHEN TRY TO "CUT" AND "PASTE" IN PAPER PREVIWER.
2130030	IDCXPDS: NEED TO REVIEW PLUGIN API JAVA DOC
2145075	QB: UPDATE TRANSLATED PRN FILES WITH MENU ID CHANGES WHICH WERE COLLIDING WITH
2156581	BC: BUILDER CRASHES WHEN THE TEMPLATE HAS TWO ANCHORED OBJECTS
2124085	NLS:AFTER INSTAL PATCH8,REPORTS SERVLET COULD NOT BE USED WITH DESTYPE=PRINTER

Table 1 Oracle9iAS Reports Services (Cont.)

Bug Number	Description
2114778	NTREGRESS2:GRAPH WIZARD:BUTTONS ARE NOT SHOWN PROPERLY IN OPTIONS FOR YAXIS SCREEN
1961853	PDFBOOKMARKS = EXPAND CONTRACT
2044840	SOLARIS: UICESF() DOES NOT FIND ANY STRINGS
2091901	REP-SCM: UNABLE TO CHECK IN.PLL'S, GETTING ERROR.
2061347	REVIEW: IDCPDF: FONT SUBSETTING FAILS FOR SYMBOL FONT.
1747359	BC: FROM WEB SOURCE CRASH ON FINISH WHEN RUNNING TOOL->REPORT WIZARD
1419062	CHART WIZARD NEEDS TAB IN RE-ENTRANT MODE
1418703	NLS: "REPORT WIZARD - AVIALABLE FIELDS" DISPALY THAI COLUMN NAMES MISTAKE
1548467	INVALID PAGE FAULT TRYING TO DEFINE A FORMAT MASK IN SPANISH
1258788	ISCTRG: ORACLE REPORTS SERVER SHOULD PRODUCE OPTIMIZED PDF FORMAT
1727330	RN:WEB SOURCE: NEED UNIQUE ID'S FOR ALL JSP TAGS - NEES A WEB NAMESPACE
1688367	FONT LIST ON TOOLBAR SHOWS WRONG FONT IN LAYOUT MODEL
387196	PRINTING CALCULATION DOES NOT TAKE HARDWARE-BASED LEFT MARGIN INTO ACCOUNT
1333803	CHARACTERS TRUNCATED WHEN PRINTING REPORT
1420306	BH0928: HELP BUTTON IN CHART WIZARD DOESN'T WORK

Table 2 Oracle9iAS Forms Services

Bug Number	Description
1132316	FIRST_RECORD CRASHES FORMS WHEN USED IN PRE-COMMIT
1196958	VCOMPONENTDELEGATE'S SETPROPERTY() METHOD RETURNS 'FALSE' AFTER HA
1324905	UNABLE TO CLOSE LOV COLUMN MAPPING DIALOG USING BUTTON 'CLOSE', SY
1326643	9ITRACE: REGRESSION TESTS ARE NEEDED TO VERIFY THAT TRACING IS WOR

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
1299723	COMMON: MULTIPLE OBJECTS SELECTION IN NAVIGATOR DOES NOT DISABLE B
1372572	BUGHUNT080400: NON-NUMERIC AND NEGATIVE VALUES CAN BE SPECIFIED
1196973	SETFONTINDEX() DUPLICATED IN TEXTAREAITEM
1261486	COMMON: DEBUGGER: NO KEYBOARD ACCESS TO SYSTEM MENU OF DEBUG CONSOLE
1260395	MODAL WINDOW BLINKING PROBLEM WHEN FORM IN ENTER QUERY MODE
1297362	INHERIT MENU AND ICON'S BEHAVIOR IS DIFFERENT
1373180	BUGHUNT080400: DEBUGGER: IN 'VARIABLES' PANE VALUE VALIDATION MOVE
1372611	BUGHUNT080400: BUILDER DUMPS WHEN USE SCROLL BAR IN 'COLUMN SPECIF
1770364	EXCEL.EXE APPLICATION ERROR -- USING OLE PACKAGE IN FORMS 6.I
2041008	POPUP MENUS: PASTE ICON IS NOT ENABLED
2022124	REMOVE THE WEBFORMS PREVIEWER RELATED CODE ON THE SERVER
2005435	BMP INSERTED INTO OLE CONTAINER DOES NOT DISPLAY AFTER REQUEST
1956773	SCHEMA VALIDATION NOT WORKING IN XML2FORMS
184419	RUNNING A FORM FROM A DIFFERENT DIRECTORY BY SPECIFYING A PATH DOES
1845364	TIASDI: CUSTOM MENU CAUSES FORM ITEMS COLOR TO CHANGE
2041153	OBJECT NAVIGATOR: POPUP MENU: COPY/CUT ARE ENABLE WHEN SELECTED RE
2043648	CANNOT PASTE INTO FORM AT RUNTIME FROM CLIPBOARD
2070534	SOL BUILDER:TIAVIS1:CHANGING TOOLTIP VISUAL ATTRIB.GROUP CLOSES PR
2070347	BGHNT:SOLARIS: UNABLE TO CHANGE WINDOW STATE OF PU EDITOR USING SH
2070239	BGHNT:LOV WIZARD MODIFIES CERTAIN VALUES FOR HEIGHT OR WIDTH OF FI

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2058274	WEBFORMS: MD: CLEARING MASTER BLOCK LEAVES FIRST ITEM OF FIRST REC
2061461	XMLTOOL SHOULD OUTPUT MESSAGES REGARDING IMAGE PROCESSING
2071412	BGHNT: ALT+F4 IS CLOSING THE WINDOWS APART FROM THE CTRL+F4 IN BUI
2084461	OTN: PLSQLCONVERTER ENABLE_ITEM AND DISABLE_ITEM BUILT-INS DO NOT
2084519	FMA:UI:JDK:UNABLE TO SELECT MORE THAN ONE FILE FROM BOTTOM TO TOP
2083075	WEBFORMS: VERTICAL SCROLLBAR: RIGHT SIDE EDGE IS NOT PROPERLY DI
2085145	IS9I: "JAVA INTERCEPTSERVER HELP=YES" THROWS NULL POINTER EXCEPTIO
2072848	BUILDER: NEED TO SUPPORT AL32UTF8 (FOR SURROGATE-PAIR CHARACTERS)
2073264	9ITRACE: WE SHOULD WRITE THE RUN INFORMATION INTO THE LOG
2084632	PLSQLCONVERTER:UTILITY SHOULD PROVIDE A WAY TO CHANGE ORDER OR FIL
2095482	PL/SQL CONVERTER: PROVISION TO ORDER THE MODULES SELECTED IN PL/SQ
2108768	REDISPLAY BUILTIN DOES NOT WORK AT ALL
2107446	WEB: EDITOR TEST AUTOMATIC SELECTION OF VALUE AFTER FIRST ENTRY IN
2101802	9ITRACE: 9I TRIES BUT SILENTLY FAILS TO LOAD OTRACE80.DLL
2100617	ADA:PL/SQL CONVERTER:JAWS DOESN'T READ TEXT ON ABOUT WINDOW.
2097346	DEBUGGER: REMOVING A VARIABLE IN 'WATCH' WINDOW DOES NOT ALLOW TO
2099563	WEBFORMS:SOLARIS: TAKING THE CURSOR OUT OF APPLLET CONTROL GOES AWA
2109720	FMA: NO ALERT FOR ADDING THE SAME MODULE TO PROCESS AGAIN
2116895	FMA:APPS9I-11.I: PART OF THE PACKAGE BODY CLIPPED
2115102	BUILDER: SMARTBARS: TIASBR61.FMB TRY TO OPEN LAYOUT EDITOR, BUILDER

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2115011	DEV9I:11I: FMA: GIVES WARNING OF NO COMPILATION BUT STILL CREATES
2114916	BACKEND: TEST TIPREF1B FAILED GENERATING PL/SQL ERROR 999
2110916	IASV2EMEXT: DONOT SHOW THE NAVIGATION BAR IF NUM OF RECORDS IN TAB
2117909	BUILDER: NO VALIDATION OF PROPERTY 'QUERY LENGTH'
2121539	IS9I:INCORRECT IMPLEMENTATION OF THINKTIME FUNCTIONALITY
2123112	BUILDER:OLB:UNABLE TO OPEN MORE THAN ONE OBJECT LIBRARY WINDOW
2121530	IS9I:CREATE VERSION HEADERS FOR RECORDED .IN AND .OUT FILES
2119402	NEED TO INCORPORATE "LONG" QUERY HANDLING(RETRY RESPONSES) IN 9I T
2120746	IS9I:MODE=PLAY PARAMETER IS NOT REQUIRED IN THE INTERCEPT SERVER
2121526	IS9I:ENHANCEMENTS TO PERFORMANCE DATA CALCULATION IN INTERCEPTSERV
2126077	BUILDER CLOSES ON CLICKING DISABLED CLOSE BUTTON OF OBJECT NAVIGAT
2133160	OPENING CANVAS (OF TIASBR1) IN LAYOUT EDITOR CAUSES THE BUILDER TO
2132412	FMA: ADD CHECKS FOR UNSUPPORTED MOUSE TRIGGERS
2130410	9ITRACE: NEED BUILTINS TO SWITCH EVENTS ON OFF
2130197	*D2K9I MERGE* M14: PLEASE MERGE CHANGES TO /VOBS/ADMIN/9I/
2130189	IS9I:UNABLE TO SEE TRACE DETAILS DURING RECORDING DO_LIST/
2129762	IS9I:ALLOW THE FILENAME TO BE A .IN FILE
2133611	IS9I: LOG SHOULD BE PUT IN A LOG FILE SPECIFIED IN THE COMMAND LIN
2148479	OTN: NEED TO PUT ACCESSIBILITY SCRIPTS ON OTN
2146759	9ITRACE: ASSERTION FAILURE IF CLOSING FORM WITH THE 'CLOSE' ICON
2141461	*D2K9I MERGE* M13: COMPILATION ERROR DUE TO HEADER /VOBS/IF9I/INC/

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2133653	IS9I:GENERATION OF A NEW OUTFILE FOR MESSAGES FROM THE SERVER WHIL
2148485	IS9I:ALL PROCESSES ARE NOT STARTED DURING PLAYBACK WHEN A BIG DELA
2156436	TRACE DETAILS IN THE JAVA CONSOLE (RECORD) HAS 1 EXTRA TERMINAL ME
2156333	PLAYBACK COMPLETES FASTER THAN RECORDING
2154663	IS9I:TRACE PARAMETER ACCEPTS ANY VALUE
2152415	GMT:WEB:CHANGE OF BACKGROUND IN COMMERCIAL VEHICLE INVOICING SCREEN
2153203	9ITRACE: 2ND LOV INVOCATION PRODUCES DUFF TRACE DATA IF NOTHING SE
2154571	IS9I:ENTERING AN INVALID LISTENERSERVLET URL THROWS A NULL POINTER
2162963	JDAPI EXCEPTION IS THROWN EVEN IF FORM MODULE COMPILES WITH WARNING
2163278	FORMSMESSAGELISTENER="%FORMSMESSAGELISTENER%" IS MISSING IN BASEJP
2167861	FORMS2XML: IF NAME PROPERTY SET TO NULL XML GETS CONVERT TO FMB A
2165478	FMA: UNDO FIX TO BUG 2158674 AFTER FORMS BUGS 2116895 AND 2116644
2166889	REGRN: DR WATSON WITH 9I DATABASE ON EXPANDING OBJECT SYS->TYPES
2164924	BACKEND: RELINKING F90DESM BRINGS UP AN INETERNAL ERROR
2171097	JAVAIMPORTER:JAVA IMPORTER FAILS TO CREATE PU WITH THESE STEPS
2198112	MULTPLE SELECTION ON LIST ITEMS
2179325	*D2K9I MERGE*: PLEASE MERGE TO MAINLINE /VOBS/IF9I/INC/SOSD/SIPECP
2199092	ERROR MESSAGES FROM SERVER SHOULD BE LOGGED IN THE LOG FILE
2180319	BUILDER CREASHING WHEN TRIED TO OPEN A LIBRARY USING MENU FORM USI
2180539	ADD THE OPTIONAL CONNECTIONRETRIES PARAMETER TO INTERCEPT SERVER

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2180832	*D2K9I MERGE*: PLEASE MERGE TO MAINLINE /VOBS/IF9I_SRC_2/SRC/SOSD/
2199234	OBSOLETE DEBUGGER-RELATED FILES
2206826	9ITRACE: V_EVENTS VIEW IS NOT DELETED
2219237	LOGFILE CONTAINS JUST THE LAST LINE FROM THE TRACE DETAILS
2207558	ENHANCEMENTS TO HANDLING OF DATE ITEM FORMATTING.
2209945	FORMS2XML: PRINTTREE OPTION ASSIGNS NULL VALUES TO DATASOURCECOLUM
2211445	ENH: FORMS2XML: PRINTTREE OPTION SHOULD ASSIGN PROPER VALUE TO COO
2216624	PL/SQL CONVERTER: UNABLE TO GET HELP FROM COMMAND LINE
2222180	BEAN AREA: FILL PATTERN NOT GETTING ASSIGNED IN WEBFORMS
2234624	IDS 2.0 M11A: UNABLE TO OPEN A FORM BY DOUBLE CLICKING ON THE FMB
2235149	IDS902 M11A:IMAGE IS MISSING ON ONE OF THE PAGES OF LAYOUT WIZARD.
2254549	IAS 902 M16: NLS: FORMS.JSP SHOULD INHERIT LOCALE OF EMD
2254468	USAGE OF FILECONVERT UTILITY NOT FORMATTED
2254456	IAS 902 M16: TIMESTAMP TEXT IN FORMS.JSP IS HARD CODED
2237197	WEBFORM: FOR EXPIRED DATABASE PASSWORD (ORA-28001) NO CHANGE DIALO
2250726	FMA: ADD STOP CHECK FOR DATA_PARAMETER
2254452	RUNNING FILECONVERT WITH NO ARGUMENTS RESULTS IN NULLPOINTEREXCEPT
2255174	XMLTOOL: MISSING PLL THROWS EXCEPTION
2270528	KEY-NEXT-ITEM TRIGGER WITH SYSTEM.CURSOR_VALUE RETURNING WRONG VAL
2270523	9ITRACE: CANCELLING EDIT WINDOW CRASHES FORMS
2266745	IAS M16B: GRAPHICS INTEGRATION IS NOT WORKING (TK_PRINTER)

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2262314	NULLPOINTEREXCEPTION IN HTTPNSTREAM WHEN INITIALIZING W/TOOL VENDO
2258582	DEFAULT.ENV NOT FOUND ERROR IS WRITTEN IN DEBUG MODE
2271994	FMA: INITCAPS SHOULD BE SUPPORTED IN CONVERTER.PROPERTIES
2278673	FMA: APPS9I-11.O: CONVERSION FAILS IN SPAM ENVIRONMENT
2277975	TITLE OF CONFIG SECTION
2277858	ADD MOD_OSSO AUTHENTICATION DIRECTIVE TO FORMS90.CONF
2273625	AUTOMATIC BROWSER LANGUAGE DETECTION DOES NOT WORK FOR LOGIN SCREEN
2273263	TERMINATION HANDLER TAKING MORE THAN A MINUTE TO MAKE A CLEAN SHUT
2278722	OTN: PLSQLCONVERTER: LOG FILES SHOWING INCORRECT INFORMATION
2285441	WILDCARDFILTER.JAVA IS NOT BEING COMPILED
2280371	PERF: THE 'OPEN' DIALOG TAKES A LONG TIME TO COME UP WHEN INVOKED
2280361	XMLTOOL:CONVERSION FROM XML2FORMS IS PROBLEMATIC IN THE CASE OF OB
2279365	PLEASE EXPOSE D2FCTXANOATTDEL FLAG IN JDAPI (SEE BUG 1891574)
2288276	FILECONVERT UTILITY DOES NOT GIVE ANY VERSION INFO OR THE STATUS
2288280	CANNOT USE LOOPING IN IS9I WITH OUT PARAMETERIZATION
2304795	WHEN-VALIDATE-RECORD HAS WRONG CODE GENERATED FOR TABLE LEVEL CONS
2290065	WHEN TRIED TO SET BREAKPOINT CAUSES BUILDER TO CRASH
2299200	TRACE COMMAND LINE PARAMETER HAD INCORRECT FORMAT
2299208	UNABLE TO USE THE LOOPING SUPPORT IN IS9I
2302735	PATH VARIABLE SHOULD BE SET IN G90RUNM.SH

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2304807	BUILDER CRASHES WHEN ENFORCING TABLE LEVEL CONSTRAINTS
2321447	PLEASE MERGE GENERIC FIX FOR BUG 2321429 - LAYOUT EDITOR DUMPS WIT
2322811	CALUCULATION OF AVERAGE ROUND TRIP TIME IS NOT CORRECT
2318309	IDS 902.7.0 M12 WINDOWS: FRM-90928: POSITIONAL PARAMETER AFTER KEY
2305255	F90DESM.SH HAS WRONG VALUE FOR UI_ICON
2316112	EM: GIVES INTERNAL ERROR WHEN APPLYING BLANK VALUE
2315824	MACE BUILD: WIZARD BUTTONS HAVE ARROWS MISSING.
2322820	PARAMETER VALUES WITH SPACES CAUSES ERRORS WHILE PLAYBACK.
2326711	PLSQLCONVERTER:UI: SHOWING MISSING RESOURCE: WIDGETS.FILECHOOSER.
2322869	ADD RANDOMIZE ATTRIBUTE TO THE PARAMETER DATA FILE
2322824	ENHANCEMENT REQUEST TO CALCULATE THE TOTAL TIME TAKEN FOR EACH ITE
2322834	CALCULATION OF DELTA IS WRONG
2342751	FMA:OBJECT LIBRARY: CONSECUTIVE OBSOLETE BUILT-INS ARE NOT CONVER
2322842	NO THINKTIME MODE FOR THE SCALABILITY TEAM
2337094	PLSQLCONVERTER:UI:LOG FILE NAME IS CHANGING WHEN EDIT OPTIONS IS C
2322883	NESTED LOOPS DOES NOT WORK
2342782	MIG:PLSQLCONVERTER: NOT CLOSING EVEN AFTER CLOSING THE MIGRATION A
2343444	FMA:UI: HELP BUTTON OR F1 FUNCTION KEY NOT WORKING
2343501	FMA:UI: DOUBLE CLICKING ON "SELECT MODULE" AREA GIVES NULLPOINTERE
2343555	FMA:UI: ARROW BUTTONS AND SCROLLBAR ARE NOT MAPPED TO EACH OTHER
2343599	PLSQLCONVERTER:UI: CONVERTER OPTIONS, ON CLICK, VALUES CELL VALUE

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2343634	JINIT 11819: CURSOR FOCUS IS NOT THERE WHEN RELOADING THE BROWSER
2343668	PLSQLCONVERTER:UI: CHANGE THE DIALOG CAPTION TO LOG FILE NAME
2343737	FMA:UI:JDK:RENAMED MODULENAME NOT ADDED TO SELECT MODULES AREA
2343760	FMA:UI: ADD MODULE DIALOG SHOULD SEPARATE *.FMB,*.MMB,*.PLL,*.OLB
2344492	PLSQLCONVERTER:VALUE DISPLAYS IN EMPTY LISTS WHEN CLICKED CONVERT
2344543	PLSQLCONVERTER: EVEN AFTER REMOVING THE FILE FROM LIST ITS SHOWING
2345623	FMA: CONVERSION IS NOT DONE IN THE ORDER PROVIDED
2346690	PLSQLCONVERTER: SAME FILE NAME CAN BE ADDED FROM THE SAME DIRECTOR
2350002	IDSM12E: FMA:FAILS TO CONVERT FORM MODULES IN BATCH MODE, SOLARIS
2350093	FMA:UI: SEARCHANDREPLACE.PROPERTIES FILE HAS ENABLE_ITEM TWICE
2351781	FMA:UI: MISSING RESOURCE WARNING.OBSOLETEMOUSETRIGGER SHOWN IN CON
2351931	FMA:UNHANDLEDEXCEPTION WHEN RUNNING THE REPORTS AFTER CONVERSION
2352092	FMA:UI: MODE IS TAKING ANYTHING ANY PARAMETER TO RUN IN BATCH MODE
2352343	FMA:UI: HEADER WAS NOT WRITTEN FOR LIBRARIES
2352549	FMA:UNABLE TO RUN F90PLSQLCONV.SH ON SOLARIS FROM DVE
2356252	IS9I: INVALID RECORDFILENAME THROWS NULL POINTER EXCEPTIONS
2361732	NLS: IDS20: T9N: JA: SOME GARBLED CHARACTERS IN FORMS BUILDER PROP
2362526	PLSQLCONVERTER: LOG FILE CONTAINS INCORRECT FMA LIBRARY NAME
2363309	IS9I: PLAYING BACK <FILENAME>.REPARSE.IN RESULTS IN 1 LESS ROUND T
2364671	FMA:UI: BACKUP WARNING IS ALWAYS SHOWN EVEN ITS MENTIONED AS FALSE

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2366199	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIP
2366216	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIP
2368101	*D2K9I MERGE* M17: MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIPTS/F90P
2368197	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIP
2368225	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIP
2368238	*D2K9I MERGE* M17: PLS MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIPTS/
2368249	*D2K9I MERGE* M17: PLS MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIPTS/
2368255	*D2K9I MERGE* M17: PLS MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIPTS/
2368261	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIP
2368273	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/IF9I/INC/SOSD/SI
2368295	*D2K9I MERGE* M17: PL MERGE TO MAINLINE /VOBS/IF9I_SRC_1/SRC/EM/TC
2368327	* D2K9I MERGE* M17: MERGE TO MAINLINE /VOBS/IF9I_SRC_1/SRC/EM/TCL/F
2368332	*D 2K9I MERGE* M17: MERGE TO MAINLINE /VOBS/IF9I_SRC_1/SRC/EM/TCL/F
2369119	FMA:UI FOR DESTYPE=CACHE DESNAME MIGRATED TO RP2RRRODESNAME PARAMETER
2370113	FMA: CONVERTER OPTIONS WERE SHOWN INSTEAD OF MIGRATION ASSITANT OP
2371098	FMA:UI:ALL CONVERTER OPTIONS/RUN_PRODUCT PARAS NOT ASSIGNED TO REP
2371530	FMA: UI: CONVERTER OPTION PAGE WIDGETS FAILS TO RETAIN VALUE
2373099	FMA: SCRIPT DOES NOT RUN OUT OF MACE
2373103	FMA:UI: ARGUMENTS PASSED ARE IGNORED IN WIZARD MODE
2373105	FMA: INVALID ARGUMENTS SHOULD BRING UP HELP

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2373107	FMA: INCORRECT NAME FOR EWT JAR FILE
2373119	FMA: NEED A WAY TO GET VERSION NUMBER OF SCRIPTS
2373122	USERID ARGUMENT IS NO LONGER NEEDED
2373690	NLS: FRM-10039 WHEN STARTING FORMS BUILDER 9I
2374743	FMA:MIG: WIZARD ACCEPTS A NULL LOG FILE NAME IN MIG ASST. CONVERTE
2375052	UNABLE TO RUN OBR WITH HTTPS PROTOCOL IN IAS+IDS
2375381	FMA: UI: NO MORE OPTIONS FOR DESFORMAT= IN CONVERTOR OPTIONS
2375680	FMA: UI: HELP BUTTON LANUCHES NEW BROWSERS EVERYTIME USER CLICKS O
2375721	FMA:UI: SAME ACCESS KEY FOR HELP BUTTON AND REPORT SERVER HOST
2376776	FMA:UI: ALL OUTPUT SHOULD DISPLAY IN UI
2377257	HELP: FONT SIZE OF 'ON' IS SMALL IN WELCOME DIALOG PAGE
2379144	FMA-UI: UNABLE TO RUN THE FMA IN IDS ENV ON SOLARIS 2.6
2381226	IS9I: NULL POINTER EXCEPTION THROWN WHEN IFWEB90 IS ABORTED
2381230	IS9I: DEFAULT VALUE FOR PROCESSES PARAMETER SHOULD BE SET TO 1
2382138	IS9I: PLAYBACK WHEN THE DATABASE IS SHUTDOWN THROWS A NULL POINTER
2382284	FMA-UI: ANONYMOUS PU WAS CREATED AFTER LIBRARY CONVERSION
2386950	M9:EM: NO PARAMETERS CONFIGURED FOR THIS SECTION WAS SEEN WHEN TRI
2387403	FMA-UI:SELECT MODULE DIALOG SHOULD SHOW THE CURRENT DIRECTORY AND
2388121	FMA: MIGRATION OF PLSQL LIBRARY FROM GMTICS GIVES ERRORS
2389497	IN DATABASE TRIGGER EDITOR CANNOT CUT, COPY, PASTE IN NAME COMBO B
2395751	FMA:F90PLSQLCONV.SH - CONTROL CHRACTERS IN THE FILE - FILE PERMISS

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2395760	FMA:052902 BUILD CREATES 05_17TEMP DIRECTORY UNDER FORMS90/JAVA DI
2395771	FMA:0529 BUILD: RUNNING F90PLSQLCOV.SH GIVES SYNTAX ERROR AT LINE
2395783	FMA: F90PLSQLCONV.SH - CLASSPATH IS RELATIVE TO \$ORACLE_HOME\BIN:
2395794	FMA: F90PLSQLCONV.SH EXPECTS O_JDK_HOME SET TO \$ORACLE_HOME/JDK DI
2395889	FMA: README.HTML DOESN'T CONTAIN THE USAGE INFORMATION ABOUT F90PL
2398544	FMA:UI: ARROW BUTTONS SHOWS DIFFERENT BAHAVIOUR WITH ENTER KEY
2400885	FMA: VBX.SET_PROPERTY WAS GIVEN TWICE IN SEARCH_REPLACE.PROPERTIES
2402770	CANNOT DESELECT RADIO BUTTONS IN ENTER QUERY
2404072	FMA: CHANGE WORDING OF WELCOME SCREEN ON WIZARD
2404505	FMA: IFPLSQLCONV.BAT HAS USERID OPTION
2407512	COMMENTS ARE STRIPPED OUT FOR PLD TO PLL CONVERSION
2408908	FMA:OUI INSTALL: LINK ISN'T WORKING IN README FROM RELEASE INFORMA
2409119	FMA: MODE SHOULD NOT DEFAULT TO WIZARD
2409124	FMA: PROBLEMS INVOKING HELP ON WINDOWS
2409128	FMA: CHANGE THE DEFAULT LOCATION OF THE MIGGUI.HTML FILE
2412167	APPS9I-11.0:CANNOT RUN ORACLE APPS IN LISTENER SERVLET METHOD IN D
2412964	FMA: GETTING JAVA.LANG.NULLPOINTEREXCEPTION WHEN TRIED TO SET PRIN
2413223	FMA: IN IFPLSQLCONV90.BAT THE O_JDK_HOME IS SET TO %FORMS_ORACLE_HOME
2414304	FMA:UI:MIGRATION WIZARD THROWS JAVA.LANG.NULLPOINTEREXCEPTION
2414599	FMA:UI:ABLE TO EDIT THE "DEFAULT DESNAME" PROPERTY IN THE CONVERTE

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2415572	FMA:UI:SHOULD PREVENT ADDING OF MODULES OF INVALID TYPES
2420694	FMA:INSTALLER:ORACLE_HOME SUBSTITUTION FOR O_JDK_HOME IS DONE WITH
2425054	APPS9I:CANNOT CREATE EXECUTABLES IN THE DVE ENVIRONMENT
2439270	FMA: DIFFERENCE IN COMMAND LINE AND WIZARD PROCESSING OF MODULE WI
2439766	FAILED TO START DAILY BACKEND TESTS IN SPAM ENVIRONMENT
2440998	FMA: PROGRESS DIALOG SHOULD HAVE AN EXIT BUTTON AT THE END
2440999	FMA: IMAGES TO SORT MODULES IN WIZARD ARE UNUSUAL
2441001	FMA: USAGE EXPLANATIONS NEEDED FOR WIZARD
2445070	FMA: LAST SCREEN OF FMA WIZARD NEEDS CHANGES IN THE TEXT DISPLAYED
2445391	FMA: ADVANCED OPTIONS DIALOG HAS EXTRA DUMMY FIELDS WHERE VALUES C
2446030	NAME_IN ON NULL NUMBER PARAMETER GIVES GARBAGE VALUE
2448047	FMA: REMOVE DE SUPPORTED OPTIONS FROM CONVERTER.PROPERTIES
2454501	MACE(07/09):F90ALL.CAB FILE IS MISSING IN THE ORACLE_HOME/FORMS90/
2461477	CANNOT DO A CLEAN MACE - CORE NOT AVAILABLE
2466185	[NLS]FORMS BUILDER CRASHES WHEN PL/SQL EDITOR IS CALLED IN JAPANESE
2467828	MACE(07/17):IFWCM90.DLL FILE IS MISSING IN THE ORACLE_HOME/BIN/ DI
2467957	IDS90201:M1:REGRN:IDSM12E:CONNECT DIALOG COMESUP AFTER SPECIFYING U
2475220	QABLK:FMA: UNABLE INVOKE THE FMA WITH 07/22 BUILD
2489506	PARAMETER USERID IGNORED FROM WEBFORMS FROM IAS 9I R2 INSTALLATION
2492378	BACKEND: BACKEND TESTS FAILED TO START AUTOMATICALLY

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2495744	FMA GIVES ERROR WHEN TRIED TO MIGRATE A FORM
2498125	BACKEND: BACKEND TESTS EXECUTION OVER THE WEB FAILED WITH ERROR
2500908	REGRN:MACE080602:UNABLE TO RUN THE WEB FORM THRU NATIVE IE
2503983	REGRN6I: BUILDER: DR WATSON WHEN WE PRESS TAB WHEN THE COLOR PALE
2506310	REGRN:90290:JDAPI.ATTACHING LIBRARY CAUSES BUILDER CRASH
2512151	BUILDER DUMPS WHEN TRIED TO CONVERT 6I FMT TO 9I FMB
2520518	MACE:QABLK:INSTALL:GETTING WARNINGS ON DOING TODAY MACE (08/19/02)
2520713	FORMS 9I SERVER(PATCH1) RUNS WITH AN OLDER VERSION OF THE CLIENT Jv
2524047	BACKEND: FORMS9I BACKEND TESTS FAILED TO START AUTOMATICALLY
2528939	FAILS TO PARSE:SYSTEM.TRIGGER_MENUITEM AND GIVES BAD BIND VARIABLE
2534781	REGRN: GETTING SECURITYEXCEPTION WHEN TRIED TO RUN WEB FORM
2536038	APPS9I-11.I:UNABLE TO MIGRATE THE FORMS USING THE FORMS MIGRATION
2540920	DUAL STATUS LINES DISPLAYED USING CALL_FORM WITH USESDI=YES IN 9IA
2547773	TYPO ERROR IN DATBLOCK WIZARD INSERT PROCEDURE NAME PAGE
2553747	IDSM3: 9.0.2.9.0: FORMS90_RESTRICT_ENTER_QUERY FAILS TO RESTRICT
2573374	REGRN: SOLARIS DVE: UNABLE TO INSTALL OC4J IN SOLARIS DVE ENVIRONM
2591962	QABLK:FMA:PATCH 1: FMA IS NOT WORKING
2592321	REGRN:PATCH 1:O_JDK_HOME SUBSTITUTOIN IS NOT HAPPENING IN THE IFF2
2596715	BACKEND: FORMS9I BACKEND TESTS FAILED TO START AUTOMATICALLY
2597903	NLS:PLEASE INCLUDE THE FIX FOR 2313826 AND 2313875 IN PATCHSET#1 W

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2601514	BACKEND: FORMS9I: BUILD IS BROKEN - OLD *.A LIBRARIES ARE IN /S/IF
2603719	BACKEND: BUILD IS BROKEN - OLD FILES ARE IN /S/IF/9I/LIB/OPT,OPTWE
2608069	CANVAS TOOLBARS ATTACHED TO FORM ON MOUSE CLICK NO CURSOR IN TEXT
2608637	MACE:QABLK:INSTALL: FORMS BUILD IS BROKEN WITH TODAY MACE(10/03/02
2608638	BACKEND:BUILD IS BROKEN - OLD FILES ARE IN /S/IF/9I/LIB/OPT, OPTWE
2610834	BACKEND: UNABLE TO GENERATE F90RUNM, F90DESM, F90WEBM
2621316	CURSOR JUMPS TO END OF COMBO BOX
318371	FIRST_RECORD IN POST-FORMS-COMMIT TRIGGER GPF IN F45R @ 0001 (TRIAG
519697	FRM-40918 TRYING TO START FORMS WITH TERM = 386S TRIAGE1097
726404	NOT POSSIBLE TO SET NEXT_NAVIGATION_ITEM-PROPERTY TO DEFAULT VALUE
775919	FORMS IDK* FUNCTIONS ASSUME POINTERS ARE ONLY 4 BYTES LONG
870152	OCX: BAD CODE GENERATED BY OLE IMPORTER
879706	NEED A BULTIN FOR WRITING DEBUG MESSAGES TO FORMS LOG FILE
927317	NO VALIDATION AFTER PASTE_REGION
946553	FRM-40735/ORA-305500 ON EMBEDDED OLE2 OBJECTS (EXCEL 97)
959489	CLEAR_EOL CLEAR ALL CHARACTERS IN THE FIELD OFM0899
999146	PLSQL RUNTIME DUMP USING REPORT_OBJECT_STATUS
2080227	APPS9I-11.0:RT:AOL RT FAILS DUE TO FAILURE INVALIDATION
2097067	OC40:WEB: FONTS ARE NOT DISPLAYED CORRECTLY
2144460	HELP BUTTON IS NOT WORKING FOR THE FOLLOWING DIALOG BOX
2300101	9ITRACE: 'FTRACE.CFG' IS HARDCODED IN FORMS SOURCE

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2464630	COPY_REGION AND CUT_REGION SHOULD GIVE FRM-40213 BUT DO NOT
2523183	IASVIEW: FORMS ADE: SADE_VIEW_ROOT/IF9I/.OPT CONTAINS INCORRECT RE
2527201	FMA IS NOT CONVERTING VBX BUILT-INS
2586778	ORA-105100 WHILE USING ORACLE IDIOM IN FORMS 9I
2604016	QABLK:PATCH1:IAS902: FORMS DID NOT COME IN THE BROWSER AFTER PATCH
2623795	UNABLE TO CONVERT XML DOC TO FORMS MODULE EVEN WITH OVERWRITE=YES
2626689	MACE:QABLK:INSTALL: FORMS BUILD IS BROKEN WITH TODAY MACE(10/15/02)
2631420	WEBFORM DUMPS IF THE QUERY TOOLBAR BUTTON IS CLICKED.NOT WITH QUERY
2632322	CORE DUMP WHEN RUNNING A FORM AND NAVIGATING, WHEN NO COMPILE_ALL
2635428	REGRN: THE FMA GIVES NOCLASSDEFFOUNDERERROR WHEN TRIED TO MIGRATE A
2640148	IAS 90201: UNABLE TO RUN FORMS IF INFRA AND BIF ARE INSTALLED IN T
2641731	DUPLICATE RECORDS INSERTED WHEN CONSTRAINTS ARE DISABLED
2652376	QABLK:REGRN:FORMS 9.0.2.1.0 PATCHSET1:GRAPHICS INTEGRATION FAILS
2658125	NAVIGATION NOT WORKING IN FORMS 9.0.2.7.0 FOR LIST ITEMS
2658482	MACE:QABLK:INSTALL: FORMS BUILD IS BROKEN WITH TODAY MACE(11/06/02)
2659296	OBR:SRVC2: BROWSER SESSION CRASHES ON TRYING TO INVOKE TO THE APPL
2675331	ALERTBUNDLE_XX ARE MISSING IN 9.0.2.9.0 AND 9.0.2.7.0
2678326	COULD NOT INSERT SOME JPEG FILES READ BY READ_IMAGE_FILE BUILT-IN
1690503	NLS:MULTIBYTE CHARACTER GOES JUNK WITH JAVA IMPORTER
2031819	WEBFORMS: IE6.0: NOT IDENTIFYINNG F90ALL.CAB, SO TAKING F90ALL.JAR

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2095005	BUILDER: LOV WIZARD: IMPROPER BEHAVIOUR OF RADIO ITEMS IN SAME GR
2127556	HANDLER CLASSES FOR PICS EXPECT EWT COMPONENTS TO BE USED
2141126	SOL: BUILDER: IN SYNTAX PALLET WINDOW TAB NAVIGATION IS NOT SMOOTH
2193328	NLS:UNABLE TO DETERMINE MAX FIELD LENGTH WHEN DEALING WITH MULTIBY
2218812	DR WATSON: BUILDER CRASH UPON GIVING ATTACHED LIBRARY PATH ENDING
2368249	*D2K9I MERGE* M17: PLS MERGE TO MAINLINE /VOBS/IF9I/ADMIN/SCRIPTS/
2387390	NLS:IME CANNOT BE ACTIVATED IN THE TEXT ITEM
2480693	NEED TO SYNCH BUG 2103422 TO 9I IF EWT 3.4.15 IS READY
2503451	DEFAULT JINIT SHOULD BE 1.3.1.9 IN BOTH DVE AND MACE
2531030	WEBFORM:JAVABEAN FLICKERS AND WEBFORM HANGS WHEN FORMS APPLLET SIZE
2544916	REGRN: FRM-92100 ON INVOKING FORM WITH BLOCK BASED ON STORED PROCE
2560896	INTERNAL ONLY: MACE-DVE OCAJ SETS WRONG ORACLE_HOME IN DEFAULT.ENV
2587566	QABLK:WEBFORM HANGS / CRASHES NS BROWSER WHEN URL IS LAUNCHED IN T
2594592	QABLK: FTREE.SET_TREE_PROPERTY CAUSES 'UNHANDLED EXCEPTION ORA-100
2598047	REGRN:90270: FRM-92100, FRM-92101 AND DUMP WHEN CALLED FORM EXITED
2654301	APPS9:NLS:BIDI:FORWARD PORT BUG#2042242 2528051 2113625 AND INCLUD
2670911	REGRN6I: GET_APPLICATION_PROPERTY(CURRENT_FORM) DOES NOT SHOW EXTE
2677630	SOLARIS LABEL POINTS TO WINDOWS VERSION OF DEFAULT.ENV
2738448	CAN'T KEEP FRM-92100 DIALOG WHEN NETWORK ERROR HAPPENS
2745330	FORMSWEB.CFG FILE, DEBUG SECTION HAS INCORRECT SERVERURL VALUE OF

Table 2 Oracle9iAS Forms Services (Cont.)

Bug Number	Description
2748517	BACKEND: OLD FILES IN THE DIRECTORY /S/IF/9I/LIB/OPT
2755371	BACKEND: UNABLE TO GENERATE F90RUNM AND F90DESM IN IF9I PRODUCT AR
2756393	BACKEND: UNABLE TO GENERATE FORMS EXECUTABLES IN IF9I PRODUCT AREA
2761217	REGRN:MACE9I: GETTING SECURITYEXCEPTION WHEN PRINTING THE WEBFORM
2761243	REGRN:MACE9I:GETTING 'CANNOT CONNECT TO HOSTNAME' WHEN RUNNING ANY
2766404	NLS:XLIFF:EXTRACT:INVALID ENCODING NAME IS SPECIFIED
2766406	NLS:XLIFF:EXTRACT:<!DOCTYPE> DECLARATION IS MISSING
2766408	NLS:XLIFF:EXTRACT:PLEASE USE FMB AS DATATYPE
2768241	QABLK:MACE9I:GETTING CLASSNOTFOUNDEXCEPTION WHEN RUNNING ANY FORM
2773272	BACKEND: BACKEND TEST TIPBH4B FAILS IN BOTH C/S AND WEB
860145	BUILDER: PRESSING ENTER KEY IN COMPILATION ERROR BOX DOESN'T CLOSE

Table 3 Oracle9iAS Wireless

Bug Number	Description
2809337	ADD SETPRESERVEWHITESPACE(FALSE) FOR COMPATIBILITY WITH XDK AND OC4J 9.0.3
2791296	PORTAL, LOCATION MARK COMPILE ERROR
2787832	SHORT MESSAGING MODULE DOES NOT WORK
2822278	CANNOT SEND EMAIL FROM CHTML AND MML AFTER APPLYING PATCH 9024
2822276	CANNOT LOGIN DEVICE PORTAL FROM MERGE-MMLT04.XSL
2809271	PARALLELACHEMONITOR THROWS JAVA.SQL.SQLEXCEPTION:ORA-03114: NOT CONNECTED
2822275	BKPT: iAS90210 PATCH NT M2: SERVICE ERROR IN PTG/RM
2809306	PARTITIONED TABLES PREVENT UPGRADE WIRELESS REPOSITORY IN STANDARD EDITION

Table 4 Development Environment

Bug Number	Description
2411679	WHEN TRIED TO SET BREAKPOINT CAUSES BUILDER TO CRASH
2274166	DEBUGGER: NO ERROR MESSAGES FOR FAILED TO ATTACH DEBUG TO RUNTIME PROCESS
2463334	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/DE_SRC_1/SRC/DED/DEDF.C
2463287	*D2K9I MERGE* M17: PLEASE MERGE TO MAINLINE /VOBS/DE/INC/DEDF.H
2352979	OPB 9I WHEN INVOKED SHOULD COME UP NEW 9I STARTUP IMAGE AND NOT OLDER 6I.
2272628	DEBUGGER: NO ERROR MESSAGES FOR FAILED TO ATTACH DEBUG TO RUNTIME PROCESS
2179241	*D2K9I MERGE*: PLEASE MERGE TO MAINLINE /VOBS/DE_SRC_1/SRC/SOSD/SDEFF.C
2179233	*D2K9I MERGE*: PLEASE MERGE TO MAINLINE /VOBS/DE_SRC_1/SRC/DED/DEDF.C
2179138	*D2K9I MERGE*: PLEASE MERGE TO MAINLINE /VOBS/DE/INC/SOSD/SDEFF.H
2137080	*D2K9I MERGE* M13: PLEASE MERGE TO MAINLINE /VOBS/DE/INC/DEPEP.H
2137070	*D2K9I MERGE* M13: PLEASE MERGE TO MAINLINE /VOBS/DE/INC/DEPEP.H
2745510	ENEMAN DEBUGGER: FILE OPEN DIALOG CALLED RECURSIVELY CAUSING CRASH
2739989	ENEMAN DEBUGGER: WEBFORM PROCESS HANGS WHEN BUILDER EXITS PREMATURELY

Table 5 Repository Object Storage GUI

Bug Number	Description
2522472	80 CRATHOD APPS9I-11.O:FORMS BUILDER DUMPS WHEN TRIED TO GENERATE A FMT FILE
2145058	37 VPANDURA *D2K9I MERGE* M13: PLEASE MERGE TO MAINLINE VOBS/ROS_SRC_1/SRC/SOSD/SROS.C
2145053	37 VPANDURA *D2K9I MERGE* M13: PLEASE MERGE TO MAINLINE /VOBS/ROS_SRC_1/SRC/ROR.C
2144997	37 VPANDURA *D2K9I MERGE* M13: PLEASE MERGE TO MAINLINE /VOBS/ROS/SOSD/INC/SROS.H

Table 6 Oracle JInitiator

Bug Number	Description
2281714	RUNNING FORMS APPLICATION IN SSL MODE ON WIN'95/98,GETS AN ERROR FRM-92102
2269453	JINIT1.3.1.7: FONT IS DIFFERENT
2213743	JINITIATOR 1.3.1.6 README FILE CONTAINS INACCURATE INFO REGARDING CERTIFICATION

6 Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible, with good usability, to the disabled community. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Standards will continue to evolve over time, and Oracle Corporation is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For additional information, visit the Oracle Accessibility Program Web site at:

<http://www.oracle.com/accessibility>

6.1 Accessibility of Code Examples in Documentation

JAWS, a Windows screen reader, may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, JAWS may not always read a line of text that consists solely of a bracket or brace.

